

# Product Datasheet

## CF5.0 V8 (Metallic Offset Cold Foils)

<p><b>Main Characteristics</b></p>	<p>Special-foil for sheet-fed offset cold foil applications with oxidative drying &amp; UV-curing cold foil adhesives</p> <p>High operating speed over 10.000 sheets/hr, possibly up to 18.000 sheets/hr</p> <p>Excellent edge definition with easy release properties</p> <p>Suitable for fine line and halftone effects and broad area designs</p> <p>High gloss</p> <p>Good over-printability with conventionally/oxidative drying offset ink series</p> <p>Good adhesion on oxidative drying cold foil adhesives (with fast drying performance) &amp; UV-curing cold foil adhesives</p>
<p><b>Recommended Applications</b></p>	<p>Applicable on a wide range of coated paper and carton boards</p> <p>Applicable on sheet-fed offset presses with cold foil module.</p> <p>Cold foils may be used in following markets and applications:</p> <ul style="list-style-type: none"> <li>- Commercial print jobs: books, magazines, advertising posters, flyers, post-cards, greeting cards, art print's and much more advertising print jobs</li> <li>- Packaging: beauty-, tobacco-, food-, confectionary-, pharma-packaging and various kinds of non-food-packaging</li> <li>- Labeling: wine-,champagne-, liquor-, cosmetic labels</li> </ul>
<p><b>Operating Hints</b></p>	<p>Carefully test the appropriate adhesive for your particular job, ex. Conventional adhesives including Zeller+Gmelin O0830 (gold foils) and O0831 (silver foils); Jaenecke + Schneemann 96350 (labels) and 96351 (cardboards).</p> <p>UV adhesives including Zeller+Gmelin U0830 (gold foils) and U0831 (silver foils); INX HT; TOYO INK: FD IF UV Glue; T&amp;K: UV 糊 SPP-BK.</p>

All UNIVACCO products have been developed for a particular range of applications. However, experience shows that substrates, printing equipment and operating conditions can vary, and users of our products are urged to verify, by means of test printing, that particular grades are appropriate for their specific applications. For this purpose, test samples are available on request. If you need help, UNIVACCO will be happy to assist. All information and recommendations are given by us in good faith, on the basis of practical experience, but without warranty.

	<p>Adjustment of the cold foil adhesive should be made in order to achieve good performance with the substrates. Ideal adhesive volume is approximately density <b>0.20~0.24 (for silver foils) and 0.3~0.34 (for gold foils)</b> and also depending on different process, different substrates, different job designs, different adhesive colors and other conditions.</p> <p>For more information, please see <i>Univacco Offset Cold Foil Application</i>.</p>		
<p><b>Standard roll format</b></p>	<p>Various roll formats are available to order - please enquire.</p>		
<p><b>Shelf life and Storage</b></p>	<p>Use <i>Univacco</i> product within one year after production</p> <p>Keep <i>Univacco</i> product in its original package and away from high temperature, sunlight exposure and humidity.</p> <p>Master rolls are best stored vertically. If store horizontally, please keep the original boxes and packages for your storage.</p> <p>Jumbo rolls should be suspended horizontally and avoid direct contact with the ground or other items.</p>		
<p><b>Issue Number</b></p>	<p><b>A.3</b></p>	<p><b>Date</b></p>	<p><b>2014/06/30</b></p>

All UNIVACCO products have been developed for a particular range of applications. However, experience shows that substrates, printing equipment and operating conditions can vary, and users of our products are urged to verify, by means of test printing, that particular grades are appropriate for their specific applications. For this purpose, test samples are available on request. If you need help, UNIVACCO will be happy to assist. All information and recommendations are given by us in good faith, on the basis of practical experience, but without warranty.